A Milestone Release: Aniah V2.0

26 April 2022 | Aniah releases a major update Aniah V2.0.


Today, **Aniah** announce a major release V2.0. This release addresses two elements: *Ease-of-Use and Reliability*.

Aniah introduces a new GUI enabling its users to perform ERCs easily and continuously during the early stages of their design. At Aniah's, our strategy focuses on not disturbing the designers' workflow while yet being intuitive to use.

Aniah's GUI focuses on easy-to-share analysis and power states setup, dynamic error reporting, and live link to commercial schematic editors.

1. A comprehensive set of errors available out-of-the-box

Aniah V2.0 comes with extended out-of-the-box ERC rules. This enables our user to use Aniah with a minimum setup process, thus eliminating hours of traditional pre-configuration for each design or technology node.



2. Web-based Collaborative GUI

Aniah GUI is built from the ground up with a mindset to be modern and attractive to use. It is readily accessible from any web browser.




Fig1: A secured web-based GUI easily deployed and locked in your local network

Once logged in, Aniah's users are greeted with relevant information to allow them to pick up on ongoing analysis, create one from scratch or review an ERC error report with their colleagues.

A Aniah	× +							~ - • ×	
$\ \epsilon \ \Rightarrow \ \mathbf{G} \ \mathbf{\nabla} \ \mathbf{e}$	sandbox.aniah.fr/dashboard						ہ ہو	e 🖈 🖈 🗖 🥴 i	
Aniah								¥ 0	
1 Overview	My projects				My last analyses				
Dashboard Workspace	Name								
Settings	aniah								
My account									
	My live analyses								
	FireDemo	+ 🙂	TC04_Diode_Leakage	+ 🙂	TC01_LS	+ 🙂	TC02_EOS	+ 🙂	
	CDL file: 1 UCDL/FireDen	FireDemo.v2/inpu no.odl	Leskage/TC04_Diode_Leekag		CDL file: 01_LS.col	Senabox/TC01_LS/TC	CDL file: 1 COL file: CO2_EOS.cdl	Sendbox/TC02_EOS/T	
	Technos / file: Utechnos.csv	SiteDemo_v2/inpu	Technos / San file: Leakage/technos.csv		Technos / file: hnos.csv	(Sandbox/TC01_LS/tec	Technos / file: chnos.csv	Sendbox/TC02_EOS/te	
	started at: uropean Summ		Started at: Wed Apr 13 2022 07:43:44 GR wopean Summer Time)		uropean Sum		uropean Summer Tim		
	Chara -	22 09:27:01 GMT+0200 (Central E ner Tame)	Updated at: Wed Apr 13 2022 07:43:44 Gt uropean Summer Time) Flow	41+0200 (Censul E	uropean Sum		uropean Summer Tim		
	position: Error reporting	'	position: Enor reporting		position: Error reporting	9	position: Error reporting configu	ration	
	TC03,Bulk,Leakage								
	CDL file: Technos file:	1	Sandbox/TC03_Bulk_Leakage/TC03_Bulk_Le Sandbox/TC03_Bulk_Leakage/technos.csv						
	Started at:		– 49 GMT+0200 (Central European Summer Tim						
	Updated at: Flow position:	Wed Apr 13 2022 07:43: Global configuration							

Fig2: Aniah's user dashboard

Presented with different live-analysis cards, Aniah's users can choose one to follow up on them. Aniah allows multiple users to share and view an ongoing analysis in one session.

	Flow	Position
Aniah 🚥		¥ (
A Overview Dashboard	♥ PLL_IP × ♥ Demo ×	
Workspace		
My account	O O O O O O O O O O O O O O O O O O O	Information: "gui" sption is forced to: "true" Deformation: consected to the GUI server, you can now use the Anish application in your web breaker to control the analysis
VI BE	CDL file	
	Technos file	
	Power file /	
		lext

Fig3: Aniah's user sharable and re-usable Power States setup

				Power Supply Table				
Aniah 🚥)							* e
 Overview 	♥ Demo ×							
Dashboard Workspace	BE							LiveLink U
✿ Settings My account	Dibbit Configuration Powers			Brror reporting configuration			prometrize: "pet option is forced to: "reve" prometrize: Connected to the Off server, you can explication in prev with browner is susteril the an explication in prev with browner is susteril the an explication of the option of the option of the option prometrize: Top is toplavel	nov use the Asiah
	Subcircuit toplevel	Net Vict.top	Power type supply	Voltages 3	Dependency	Actions		
	toplevel	gnd_top	supply			××		
			E	lit a power				
				Subcircuit *		Net *		
						* Dependency None		•
				Voltage O Dependency Voltage *			New entry	
	Previous				Add		Cancel	ok

Add/Edit Power supply

Fig4: Aniah's user sharable and re-usable Power States setup

3. Detailed error-analysis logging and back-tracing

In Aniah V2.0, dynamic error reporting is introduced. This feature allows the user to tailor the error report to his/her needs.



Adjustable Field

Fig5: Aniah's dynamic error reporting

4. Summary of Aniah V2.0 Key Features :

- Web-based Collaborative GUI with:
 - o Shareable Analysis and Power states setup
 - o Dynamic Error Reporting
 - o Live-Link with Schematic editors
- The improved core analysis engine with:
 - Runtime in seconds on tens of millions of transistors designs
 - o Top-level Power Supplies detection
 - o Internal power nodes detections
 - Advanced Path Detection in Analog (10x false errors reduction)
 - o Power Path Analysis to automatically set values on internal supplies
 - A comprehensive set of errors available out-of-the-box:
 - o Power-down checks
 - o Cross-domain errors
 - o Electrical Overstress and Reliability checks
 - o Leakage detection
 - o ESD including CDM
- Customizable Error Report Templates
- Detailed Error-Analysis Log

Contact us for a hands-on Demo at contact@aniah.fr

Aniah | Start-up company based in Grenoble, France. It was founded in the fourth quarter of 2019 (Q4'2019). Aniah provides an ERC formal circuit checker which verifies the IC design database against structural errors – violations of the circuit design good practices.

As of 2021, Aniah's team consists of 14 full-time employees (10 R&D engineers). Aniah's first commercial product was deployed in Q4'2020.